

CAER 18 WH D45 3000K (with driver)

Recessed LED-based luminaire

Description

Recessed LED downlight, made of aluminum, painted matt paint. In the luminaire uses an optical lens. Standard color: WH – white. Standard lens – 45 degr.

Installation




Installed in ceilings.

Design

Body made from aluminium painted matt. Diffuser is lens or reflector.

Optical part

Lens



Dimensional characteristics

A	Diameter	150 mm
C	Height	118 mm
D	Diameter (mounting)	135 mm
	Weight	0.6 kg

Technical features

1	Article no.	1320000060
2	Light source	LED
3	Luminous flux	2100 lm
4	Power compatibility	22 W
5	Energy efficiency	95 lm/W
6	Color rendering index (CRI)	>80
7	Color temperature	3000 K
8	Power factor (cosFI)	> 0,80
9	Alternating/direct current (AC/DC)	No
10	Dimming	-
11	Rated voltage	230 V
12	Electrical shock protection	II
13	Electromagnetic compatibility (EMC)	No
14	Climate application	Clim App4
15	Ambient temperature	+5 to +35 C
16	Housing color	White
17	Fire protection class	III
18	Flickering	<5%
19	Ingress protection (IP)	IP20
20	Mechanical shock protection	IK02/0,2 J
21	Energy efficiency class	A+
22	Inrush current	-
23	Inrush current impulse time	0 µs
24	Emergency power supply unit	No
25	Beam angle	D45
26	Warranty	60 months
27	Autonomy in emergency mode	-
28	Light flux in emergency mode	-