

## Explosion-proof cable gland M20x1,5 LT-EBMC1MBNS

### Cable glands for unarmored cable in flexible metal conduit

#### Description

LT-EBLS series cable glands for clamping and sealing the entry points of unarmored cables with rubber and plastic insulation laid inside a flexible metal conduit in fixed, mobile, or portable electrical equipment.


#### Design

Cable gland material: brass (the body can be nickel-plated) or stainless steel, Standard threads: NPT (N) and ISO metric (M) with 1.5 mm pitch. Pipe (G), conical (K), and conical pipe (R) thread are available upon request.

#### Product picture:



#### Dimensions:



<b>A</b>	<b>Diameter</b>	<b>12 mm</b>
<b>C</b>	<b>Height</b>	<b>52 mm</b>
	<b>Weight</b>	<b>0.2 kg</b>

## Technical features

1	Article no.	2327004360
2	Marking for gas	1 Ex d IIC Gb X
3	Dust marking	Ex tb IIIC Db X
4	Mine gas coal dust marking	-
5	Electrical shock protection	-
6	Ambient temperature	от -60 до +80 C
7	Climate application	-
8	Ingress protection (IP)	IP66/IP68
9	Mechanical shock protection	IK08/7 J
10	Electromagnetic compatibility (EMC)	No
11	Energy efficiency class	-
12	Housing color	Неокрашенный
13	Warranty	18 months